


Email: hillsidefarmsupply@outlook.com Phone: (204) 312-7833 hillsidefarmsupply.com

BVI Storage

100 & 150 Bushel Hopper Bins



- Heavy Duty Bolt Together
 Steel Stand
- 55° Hopper Bottom Slope
- Smooth Walls Ideal For Even
 Grain Flow
- High Impact Poly Design
- UV Stabilized
- Weather & Rodent Resistant

Pallet Bin 4840



- 40 Bushel Container
- 48 Cubic Feet
- 1 Metric Ton Weight Rating
- 15° Hopper Bottom Slope
- 49" x 49" Snap On Lid
- 4 Way Entry Pallet
- UV Stabilized
- Weather & Rodent Resistant

Pallet Bin 5040



- 40 Bushel Container
- 50 Cubic Feet
- 1 Metric Ton Weight Rating
- Heavy Duty Steel Stand
- 40° Hopper Bottom Slope
- UV Stabilized
- Weather & Rodent Resistant

BVI Storage

Pallet Bin 5040-HB



- High Clearance Access to Fill Pails
- 40 Bushel Container
- 50 Cubic Feet
- 1 Metric Ton Capacity
- 40° Bottom Slope
- UV Stabilized
- Weather & Rodent Resistant

Pallet Bin 6552



- 52 Bushel Container
- 65 Cubic Feet
- 1.5 Metric Ton Weight Rating
- Heavy Duty Steel Stand
- 40° Bottom Slope
- UV Stabilized
- Weather & Rodent Resistant

Pallet Bin 120100



- 100 Bushel Container
- 120 Cubic Feet
- 2 Metric Ton Rating
- 55° Hopper Bottom Slope
- Smooth Walled
- UV Stabilized
- Weather & Rodent Resistant

Sioux Steel Feeders



BULK FEED BINS

Available in 60° and 67° slopes in either a 16" or 22" hopper opening, Sioux Steel hopper panels are die-formed with rounded corners and down-turned sealing edges for safety and a weather-tight fit. Constructed using high tensile steel sidewall sheets with a G-90 commercial galvanized coating for outstanding strength and durability. Legs can be set to three different heights.





Hog Feeders

Openings: 12 Feed Doors Diameter: 56.5 Inches


Advanced scalloped trough provides a "natural" opening contoured to the hogs jowl. Large head clearance allows the hog to adopt a comfortable stance and conduct eating motions inside the feeder. Keeps feed in the feeding zone where hogs can get to it.

Features

- 12 large openings "natural" to hog anatomy.
- Long-lasting trough is heavy galvanized, 12 gauge steel.
- 60bu feeder is 75" tall with lid & 64.5" tall w/o lid.

SUPREME FEEDER	DESCRIPTION	WEIGHT
S142002	60 Bushel Complete, Hopper portion comes unassembled	335 lbs.
S142002-1	60 Bushel Complete with Hopper assembled to base	335 lbs.
S142702	60 Bushel (less lid), Hopper portion comes unassembled	265 lbs.
S142702-1	60 Bushel (less lid) with Hopper assembled to base	265 lbs.
S142802	60 Bushel (less bottom doors), Hopper portion comes unassembled	303 lbs.
S142802-1	60 Bushel (less bottom doors) with Hopper assembled to base	303 lbs.
S142902	60 Bushel (less lid & bottom doors), Hopper portion comes unassembled	281 lbs.
S142902-1	60 Bushel (less lid & bottom doors) with Hopper assembled to base	281 lbs.
S228723	Bottom - With Doors (no hardware or Hopper portion)	143 lbs.
S229715	Bottom - Less Doors (no hardware or Hopper portion)	122 lbs.
BIG 'O'	DESCRIPTION	WEIGHT

BIG 'O' FEEDER	DESCRIPTION	WEIGHT
S16006	40 Bushel Hog Feeder (complete)	312 lbs.
S16007	65 Bushel Hog Feeder (complete)	348 lbs.
S16008	90 Bushel Hog Feeder (complete)	383 lbs.



Sioux Steel Calving Barns

24' x 60' Calving Barn w/ Continuous Fencing

	- 55	
DESCRIPTION	PART NUMBER	QTY
12' Victory 2" Gates	SS1250STKLH	2
Calving Pen Care Center	S15503HD	1
Fencing - 10' Panel	S179389BRN	1
Fencing - 20' Panels	S179391BRN	5
12'Victory Walk-Thru Gate	S227881PG	4
10' Range Tough 2" Panels	SS10RTBG6	4
24' x 60' Pony Wall ProTec Building	SHS24060	1
Misc Hardware	-	1

24' x 60' Calving Barn w/ Added Feed Bunk Option

DESCRIPTION	PART NUMBER	QTY
12' Victory 2" Gate	SS1250STKLH	2
Calving Pen Care Center	S15503HD	1
Fencing - 10' Panel	S179389BRN	1
Fencing - 20' Panels	S179391BRN	2
12'Victory Walk-Thru Gate	S227881PG	4
10' Range Tough 2" Panels	SS10RTBG6	4
24' x 60' Pony Wall ProTec Building	SHS24060	1
10' Z-Bar Feeder Panels	S227878	6
5' Bunk Feeders	S173953	10
Misc Hardware	-	1

30' x 60' Calving Barn w/ Continuous Fencing

DESCRIPTION	PART NUMBER	QTY
18' Victory 2" Gates	SS1850STKLH	2
Calving Pen Care Center	S15503HD	1
Fencing - 10' Panel	S179389BRN	1
Fencing - 20' Panels	S179391BRN	5
12'Victory Walk-Thru Gates	S227881PG	4
10' Range Tough 2" Panels	SS10RTBG6	4
30' x 60' Pony Wall ProTec Building	SHS30060	1
Misc Hardware	=:	1

30' x 60' Calving Barn w/ Added Feed Bunk Option

DESCRIPTION	PART NUMBER	QTY
18' Victory 2" Gates	SS1850STKLH	2
Calving Pen Care Center	S15503HD	1
Fencing - 10' Panel	S179389BRN	1
Fencing - 20' Panels	S179391BRN	2
12'Victory Walk-Thru Gates	S227881PG	4
10' Range Tough 2" Panels	SS10RTBG6	4
30' x 60' Pony Wall ProTec Building	SHS30060	1
10' Z-Bar Feeder Panels	S227878	6
5' Bunk Feeders	S173953	10
Misc Hardware	-	1

36' x 100' Calving Barn w/ Working Equipment

DESCRIPTION	PART NUMBER	QTY
36' x 100' Pony Wall ProTec Building	SPT36P100	1
Calving Pen Care Center	S15503HD	1
Fencing - 20' Panels	S179391BRN	9
Fencing - 10' Panel	S179389BRN	1
12' Victory Walk-Thru Gates	S227881PG	7
12' Range Tough 2" Panels	SS12RTBG6	8
12' Victory 2" Gate	SS1250STKLH	1
14' Heavy Duty Range Tough Panels	S191455	2
12' Range Tough Panel	SS1272RT	1
14' Victory 2" Tall Gates	S164029	2
18 Victory 2" Gates	SS1850STKLH	2
Cornerless Crowding Tub	S198846	1
Sliding Alley Gate	S231014	1
Adjustable Alley	\$191530	1
Squeeze Chute, Manual Head Gate	S191440MLHPG	1
Misc Hardware	-	1

36' x 100' Calving Barn w/out Working Equipment

DESCRIPTION	PART NUMBER	QTY
36' x 100' Pony Wall ProTec Building	SPT36P100	1
Calving Pen Care Center	S15503HD	1
Fencing - 20' Panels	S179391BRN	9
Fencing - 10' Panel	S179389BRN	1
12'Victory Walk-Thru Gates	S227881PG	7
12' Range Tough 2" Panels	SS12RTBG6	8
12'Victory 2" Gate	SS1250STKLH	1
18 Victory 2" Gates	SS1850STKLH	2
Misc Hardware	<u>=</u>	1



Sioux Steel Live Stock Gates


VICTORY GATES

With heavy-duty Z-bar vertical braces, Victory gates are our heaviest and most durable line. Rounded tops and prairie gold powder coating make this one of our most popular livestock products and a must have on your farm or ranch.

VICTORY	GAUGE	LENGTHS	HEIGHT	BARS
2" Victory Gate	16	4' - 20'	50"	6
1.5" Victory Gate	16	4' - 18'	50"	6
2" Hog Gate	16	4' - 20'	38"	6
2" Tall Gate	16	4' - 18'	62"	7

Color: Prairie Gold Corners: Round Tops

NOTE: Sioux Steel Victory Gates are sold less hinges. Order hinges separately. All specifications are subject to change or improvement without notice. Actual gate lengths are 5" shorter than stated lengths.








LIFETIME WARRANTIES ARE STANDARD ON 2" VICTORY GATES & 2" VICTORY TALL GATES.

If a gate is ever damaged so that it cannot be used for its intended purpose, we will repair or replace at no charge.

Please See Additional Details On Page 6.



Sioux Steel Live Stock Gates

2" HEAVY DUTY GATE





16 GAUGE E

2" HEAVY DUTY	LENGTH	WEIGHT
SHQGTHD04	4′	43 lbs.
SHQGTHD06	6′	57 lbs.
SHQGTHD08	8′	74 lbs.
SHQGTHD10	10′	87 lbs.
SHQGTHD12	12′	100 lbs.
SHQGTHD14	14′	117 lbs.
SHQGTHD16	16′	131 lbs.
SHQGTHD18	18′	144 lbs.
SHQGTHD20	20′	161 lbs.

SUGGESTED APPLICATIONS:

- Confinement of Cows, Pastures Calves and Yearlings.

 - Driveways
 - Stallions and Mares

2" CATTLEMAN'S GATE



MARRANIZ
LIFETIME
MARRANT

2" CATTLEMAN'S	LENGTH	WEIGHT
SHQGTCM08	8′	86 lbs.
SHQGTCM10	10′	114 lbs.
SHQGTCM12	12′	121 lbs.
SHQGTCM14	14′	139 lbs.
SHQGTCM08	16′	157 lbs.

SUGGESTED APPLICATIONS:

- Bull Pens
- Sale Barns
- Heavy Confinement
 Calving Barns
- Feed Lots

2" S	UPER	SIX	GATE	i



2		
2" SUPER SIX	LENGTH	WEIGHT
SHQGTSS08	8′	102 lbs.
SHQGTSS10	10′	127 lbs.
SHQGTSS12	12′	148 lbs.
SHQGTSS14	14'	169 lbs.
SHQGTSS16	16′	193 lbs.

^{*} Hinges sold separately.

SUGGESTED APPLICATIONS:

- Rodeo Arenas
- Bison Pens
- Elk Pens
- Bull Pens
- · Stallion Pens
- Crowding Areas
- Heavy Confinement

Concept Feed Bins

STANDARD FEATURES ON ALL CONCEPT BINS

- → 27" Top Opening / 29" Spring Loaded Vent Lid
- → Ladder With Safety Grip
- → 28" Gate To Ground Clearance
- → 360° Adjustable Rack & Pinion Slide Gate
- → Minimum 10 & 12 Gauge Steel



Feed Bin Specs

Tonnage based on 40lbs./cu.ft.

Model Bushels Cubic Ft Tons Imp. Tons Metric Tons Bin Height 77 Diameter 35 Degree Roof 55 Degree Hopper 705 255 290 6 5.4 14′3 710 419 480 9.6 8.7 19′3 8′ Diameter 35 Degree Roof 55 Degree Hopper 805 335 400 7.8 7.1 14′6 810 547 644 12.9 11.7 19′6 815 759 895 17.9 16.2 24′6 9′ Diameter 35 Degree Roof 55 Degree Hopper 905 441 520 10.5 9.4 15′6 910 712 838 16.8 15.2 20′6 915 983 1156 23.1 21 25′6 10′ Diameter 35 Degree Roof 55 Degree Hopper 1005 569 670 13.5 12.2 16′8 1015 1237 1455 29.1 26.4 26′8 12′ Diameter 35 Degree Roof 45 Degree Hopper <th></th> <th></th> <th></th> <th></th> <th></th> <th></th>						
705 255 290 6 5.4 14'3 710 419 480 9.6 8.7 19'3 8' Diameter 35 Degree Roof 55 Degree Hopper 805 335 400 7.8 7.1 14'6 810 547 644 12.9 11.7 19'6 815 759 895 17.9 16.2 24'6 9' Diameter 35 Degree Roof 55 Degree Hopper 905 441 520 10.5 9.4 15'6 910 712 838 16.8 15.2 20'6 915 983 1156 23.1 21 25'6 10' Diameter 35 Degree Roof 55 Degree Hopper 1005 569 670 13.5 12.2 16'8 1010 903 1063 21.3 19.3 21'8 1015 1237 1455 29.1 26.4 26'8 12' Diameter 35 Degree Roof 45 Degree Hopper 1205 806 <th>Model</th> <th>Bushels</th> <th>Cubic Ft</th> <th></th> <th></th> <th></th>	Model	Bushels	Cubic Ft			
8' Diameter 35 Degree Roof 55 Degree Hopper 805 335 400 7.8 7.1 14'6 810 547 644 12.9 11.7 19'6 815 759 895 17.9 16.2 24'6 9' Diameter 35 Degree Roof 55 Degree Hopper 905 441 520 10.5 9.4 15'6 910 712 838 16.8 15.2 20'6 915 983 1156 23.1 21 25'6 10' Diameter 35 Degree Roof 55 Degree Hopper 1005 569 670 13.5 12.2 16'8 1010 903 1063 21.3 19.3 21'8 1015 1237 1455 29.1 26.4 26'8 12' Diameter 35 Degree Roof 45 Degree Hopper 1205 806 949 19 17.2 17' 1210 1287 1514 30.3 27.5 22'	7′	Diameter	35 Degree	Roof 55 De	gree Hoppe	er
8' Diameter 35 Degree Roof 55 Degree Hopper 805 335 400 7.8 7.1 14'6 810 547 644 12.9 11.7 19'6 815 759 895 17.9 16.2 24'6 9' Diameter 35 Degree Roof 55 Degree Hopper 905 441 520 10.5 9.4 15'6 910 712 838 16.8 15.2 20'6 915 983 1156 23.1 21 25'6 10' Diameter 35 Degree Roof 55 Degree Hopper 1005 569 670 13.5 12.2 16'8 1010 903 1063 21.3 19.3 21'8 1015 1237 1455 29.1 26.4 26'8 12' Diameter 35 Degree Roof 45 Degree Hopper 1205 806 949 19 17.2 17' 1210 1287 1514 30.3 27.5 22'	705	255	290	6	5.4	14′3
805 335 400 7.8 7.1 14'6 810 547 644 12.9 11.7 19'6 815 759 895 17.9 16.2 24'6 9' Diameter 35 Degree Roof 55 Degree Hopper 905 441 520 10.5 9.4 15'6 910 712 838 16.8 15.2 20'6 915 983 1156 23.1 21 25'6 10' Diameter 35 Degree Roof 55 Degree Hopper 1005 569 670 13.5 12.2 16'8 1010 903 1063 21.3 19.3 21'8 1015 1237 1455 29.1 26.4 26'8 12' Diameter 35 Degree Roof 45 Degree Hopper 1205 806 949 19 17.2 17' 1210 1287 1514 30.3 27.5 22'	710	419	480	9.6	8.7	19′3
810 547 644 12.9 11.7 19'6 815 759 895 17.9 16.2 24'6 9' Diameter 35 Degree Roof 55 Degree Hopper 905 441 520 10.5 9.4 15'6 910 712 838 16.8 15.2 20'6 915 983 1156 23.1 21 25'6 10' Diameter 35 Degree Roof 55 Degree Hopper 1005 569 670 13.5 12.2 16'8 1010 903 1063 21.3 19.3 21'8 1015 1237 1455 29.1 26.4 26'8 12' Diameter 35 Degree Roof 45 Degree Hopper 1205 806 949 19 17.2 17' 1210 1287 1514 30.3 27.5 22'	8' Diameter 35 Degree Roof 55 Degree Hopper					
815 759 895 17.9 16.2 24'6 9' Diameter 35 Degree Roof 55 Degree Hopper 910 712 838 16.8 15.2 20'6 915 983 1156 23.1 21 25'6 10' Diameter 35 Degree Roof 55 Degree Hopper 1005 569 670 13.5 12.2 16'8 1010 903 1063 21.3 19.3 21'8 1015 1237 1455 29.1 26.4 26'8 12' Diameter 35 Degree Roof 45 Degree Hopper 1205 806 949 19 17.2 17' 1210 1287 1514 30.3 27.5 22'	805	335	400	7.8	7.1	14′6
9' Diameter 35 Degree Roof 55 Degree Hopper 905 441 520 10.5 9.4 15'6 910 712 838 16.8 15.2 20'6 915 983 1156 23.1 21 25'6 10' Diameter 35 Degree Roof 55 Degree Hopper 1005 569 670 13.5 12.2 16'8 1010 903 1063 21.3 19.3 21'8 1015 1237 1455 29.1 26.4 26'8 12' Diameter 35 Degree Roof 45 Degree Hopper 1205 806 949 19 17.2 17' 1210 1287 1514 30.3 27.5 22'	810	547	644	12.9	11.7	19′6
905 441 520 10.5 9.4 15'6 910 712 838 16.8 15.2 20'6 915 983 1156 23.1 21 25'6 10' Diameter 35 Degree Roof 55 Degree Hopper 1005 569 670 13.5 12.2 16'8 1010 903 1063 21.3 19.3 21'8 1015 1237 1455 29.1 26.4 26'8 12' Diameter 35 Degree Roof 45 Degree Hopper 1205 806 949 19 17.2 17' 1210 1287 1514 30.3 27.5 22'	815	759	895	17.9	16.2	24′6
910 712 838 16.8 15.2 20'6 915 983 1156 23.1 21 25'6 10' Diameter 35 Degree Roof 55 Degree Hopper 1005 569 670 13.5 12.2 16'8 1010 903 1063 21.3 19.3 21'8 1015 1237 1455 29.1 26.4 26'8 12' Diameter 35 Degree Roof 45 Degree Hopper 1205 806 949 19 17.2 17' 1210 1287 1514 30.3 27.5 22'	9' Diameter 35 Degree Roof 55 Degree Hopper					
915 983 1156 23.1 21 25'6 10' Diameter 35 Degree Roof 55 Degree Hopper 1005 569 670 13.5 12.2 16'8 1010 903 1063 21.3 19.3 21'8 1015 1237 1455 29.1 26.4 26'8 12' Diameter 35 Degree Roof 45 Degree Hopper 1205 806 949 19 17.2 17' 1210 1287 1514 30.3 27.5 22'	905	441	520	10.5	9.4	15′6
10' Diameter 35 Degree Roof 55 Degree Hopper 1005 569 670 13.5 12.2 16'8 1010 903 1063 21.3 19.3 21'8 1015 1237 1455 29.1 26.4 26'8 12' Diameter 35 Degree Roof 45 Degree Hopper 1205 806 949 19 17.2 17' 1210 1287 1514 30.3 27.5 22'	910	712	838	16.8	15.2	20′6
1005 569 670 13.5 12.2 16'8 1010 903 1063 21.3 19.3 21'8 1015 1237 1455 29.1 26.4 26'8 12' Diameter 35 Degree Roof 45 Degree Hopper 1205 806 949 19 17.2 17' 1210 1287 1514 30.3 27.5 22'	915	983	1156	23.1	21	25′6
1010 903 1063 21.3 19.3 21'8 1015 1237 1455 29.1 26.4 26'8 12' Diameter 35 Degree Roof 45 Degree Hopper 1205 806 949 19 17.2 17' 1210 1287 1514 30.3 27.5 22'	10	' Diameter	35 Degree	Roof 55 De	gree Hopp	er
1015 1237 1455 29.1 26.4 26′8 12′ Diameter 35 Degree Roof 45 Degree Hopper 1205 806 949 19 17.2 17′ 1210 1287 1514 30.3 27.5 22′	1005	569	670	13.5	12.2	16′8
12' Diameter 35 Degree Roof 45 Degree Hopper 1205 806 949 19 17.2 17' 1210 1287 1514 30.3 27.5 22'	1010	903	1063	21.3	19.3	21′8
1205 806 949 19 17.2 17' 1210 1287 1514 30.3 27.5 22'	1015	1237	1455	29.1	26.4	26′8
1210 1287 1514 30.3 27.5 22'	12' Diameter 35 Degree Roof 45 Degree Hopper					
	1205	806	949	19	17.2	17′
1215 1768 2080 41.6 37.7 27'	1210	1287	1514	30.3	27.5	22′
	1215	1768	2080	41.6	37.7	27′

Kwik-Pound NS860T Post Pounder







Hammer Weight:	864 lbs
Mast Stroke:	70"
Total Weight:	3,541 lbs
Tongue Weight:	530 lbs
Hammer Height Min:	3'-10"
Hammer Height Max:	13'-2"
Tilt (Inward/Outward):	13°
Tilt (Left or Right):	28°
Transport Height:	8'-10"
Transport Length:	9'-8"
Transport Width:	7'-11'



North Country Feeds

Cattle Feed



Ensure optimum performance of your herd from calf to mature adult. Formulated to cater to the specific dietary needs of beef, breeding, and dairy cattle, our cattle feeds contain balanced levels of protein, energy, and minerals for muscle, bone, and reproductive development and growth.

With our feeds, you can look forward to producing superior livestock outputs, from lean, well-marbled meat to quality milk and healthy breeding beasts. The best part? We use the finest ingredients for our cattle feeds to ensure optimum nutritional value for your herd.

Hog Feed



Ensure the specific dietary needs of your breeding sows and bows are met at every stage of their lifecycle, from piglet to finishing hog. Formulated with palatable ingredients for better feed intake and rich in essential nutrients for optimal weight gain, muscle development, and lean meat production in finishing hogs, our hog feeds promote healthy growth in swine of all ages.

With the perfect balance of protein, vitamins, and minerals, you can rest assured knowing your hogs will reach market weight quickly and healthily.

Poultry Feed



Ensure your chickens, turkeys, ducks, geese, and other poultry species get all the nutrients they need to perform. Our specially formulated poultry feeds deliver the perfect blend of the nutrients required to nurture your flock from chick to fully grown healthy bird, from proteins that promote lean muscle development to amino acids for strong feathers and essential minerals to promote egg production.

Count on our feeds for healthy feathering in meat birds and high-quality egg production in laying hens by ensuring their dietary requirements at every growth stage are met.

Sheep Feed




From lambs to mature ewes and rams, our sheep feeds promote strong bones, robust immune systems, and optimal reproductive health.

Got wool-producing sheep breeds? Our feeds support optimal wool quality and quantity in wool-producing sheep at all stages of life, guaranteeing you premium fleece production throughout the year.

Our sheep feeds also support the fast development of your meat sheep. Each bag of feed contains targeted nutrients specially formulated for sheep. With purchase, you're not only investing in quality nutrition but also ensuring you will always have quality, market-ready meat and wool, maximizing the yields of your farm.







SCAG Zero Turn Mowers













